



ALL THE SPEED. A THIRD OF THE CASE.

Introducing *Swift*, the world's smallest all-in-one 5G case.

With modem, battery, and antenna built-in; **it's the grab-and-go to beat.**




SWIFT PERFORMANCE

With the capacity to run 50 concurrent users and a weatherproof ethernet port, Canary performs at a commanding level.



DURABLE DESIGN

Who says beauty isn't meant to last? A sturdy enclosure protects a strong internal design, so you'll get better performance overall. Bring on the plops, drops, and flops with water and dirt resistance.



CASE CLOSED

A proprietary antenna arrangement is built around the case, not the lid; while thermal engineering keeps everything running – allowing for operations while closed. It's calm, cool, and perfected.



MAKE POWERFUL CONNECTIONS

Canary brings everything together. Capable cradlepoint® routers paired with Taoglas® antennas can reach distant towers and broadcast WIFI further. Data and traffic shaping pick the best connection automatically and limit overage costs with throttling.



ALL TOGETHER NOW

Canary lets you choose your carrier and plans. With support for AT&T, Verizon, FirstNet, and T-Mobile, simply insert any SIM to activate.



One Low Price

Includes case, modem, all hardware, and first year NetCloud license.



NEXT BEST STEPS

Scan to chat with an Advisor and order your Case. | canarycases.com

QUICK SPECS

Cradlepoint 980 5G | 6AH LiFePO4 Battery - Base Run Time of 11 Hours | 1 External LAN/WAN Assignable Ethernet Port | 12.6 X 9 X 4.4 IN | 7.3 lbs

INTERFACES

| | |
|-----------------|---|
| MODEM | CRADLEPOINT R980 EMBEDDED 5G, 4G LTE CATEGORY 20 TAOGLAS CUSTOM CELLULAR ANTENNA ARRAY TYPICAL CLIENT COUNT: 50 |
| CELLULAR | DUAL SIM SLOT, 4FF FACTOR 5G BANDS: 1,2,3,5,7,8,12,20,25,26,28,38,40,41,48,66,71,77,78,79 4G BANDS: 1,2,3,4,5,7,8,12,13,14,17,18,19,20,25,26,28,29,30,32,66,71 |
| ETHERNET | 1 GBE 1 ASSIGNABLE LAN/WAN PORT |
| WIFI | 2X2 MU-MIMO 802.11AX WI-FI 6 WITH DFS 574 MBPS (2.4 GHZ) & 1,200 MBPS (5 GHZ) WPA/WPA2/WPA3 PERSONAL, WPA2/WPA3 ENTERPRISE, OPEN 80211K, 802.11V WI-FI ALLIANCE CERTIFIED TAOGLAS CUSTOM WI-FI ANTENNA ARRAY 2.4 MHZ: 26.42 DBM 5 MHZ 23.14 DBM |
| GNSS/GPS | TAOGLAS CUSTOM SMA GNSS ANTENNA |

PHYSICAL

| | |
|----------------------|---|
| SIZE | 12.6 IN X 9 IN X 4.4 IN |
| WEIGHT | 7.3 LBS |
| POWER | 6AH LIFEP04 24 VOLT OPERATING 11 HOUR RUNTIME WITH CELLULAR STANDARD 3-PRONG US FEMALE INLET |
| ENVIRONMENTAL | -22°F TO 167°F OPERATING TEMPERATURE 5% TO 95% OPERATING HUMIDITY IP64 INGRESS (DUST TIGHT & SPLASHING WATER) |



